

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (previously presented) A method for adjusting engine operation of a vehicle having a humidity sensor, the method comprising:
determining a parameter indicative of ambient humidity outside of the vehicle based on said sensor;
varying a desired cylinder valve condition based at least as said parameter indicative of ambient humidity varies;
adjusting a control signal to adjust said cylinder valve based on said desired cylinder valve condition; and
determining degradation of said sensor based on a signal.
2. (original) The method of claim 1 wherein said desired cylinder valve condition is a desired cylinder valve lift.
3. (original) The method of claim 1 wherein said desired cylinder valve condition is a desired cylinder intake valve lift.
4. (original) The method of claim 1 wherein said desired cylinder valve condition is a desired cylinder exhaust valve lift.

BEST AVAILABLE COPY

5. (original) The method of claim 1 wherein said desired cylinder valve condition is a desired cylinder valve timing.

6. (original) The method of claim 1 wherein said desired cylinder valve condition is a desired cylinder intake valve timing.

7. (original) The method of claim 1 wherein said desired cylinder valve condition is a desired cylinder exhaust valve timing.

8. (original) The method of claim 1 wherein said desired cylinder valve condition is a desired cylinder cam timing.

9. (original) The method of claim 1 wherein said desired cylinder valve condition is a desired cylinder intake valve cam timing.

10. (original) The method of claim 1 wherein said desired cylinder valve condition is a desired cylinder exhaust valve cam timing.

11. (original) The method of claim 1 wherein said desired cylinder valve condition is a desired cylinder intake and exhaust valve cam timing.

12. (previously presented) A method for adjusting engine operation of a vehicle having a humidity sensor, the engine having a cylinder with a valve, the method comprising:
determining a parameter indicative of ambient humidity outside of the vehicle based on said sensor;
determining a desired cylinder cam timing based at least on said parameter and an engine operating condition;
adjusting a control signal to adjust said cylinder valve based on said desired cylinder cam timing; and
determining degradation of said humidity sensor based at least on a measured signal.

13. (original) The method recited in claim 12 wherein said parameter is absolute humidity.

14. (original) The method recited in claim 12 wherein said parameter is relative humidity.

15. (cancelled)

16. (previously presented) The method recited in claim 12 further comprises setting said desired cam timing to a nominal value if said humidity sensor has degraded.

17. (previously presented) An article of manufacture having a computer readable storage medium with a computer program encoded therein for adjusting engine operation of a vehicle having a humidity sensor, the engine having a cylinder with at least an adjustable valve, the article comprising:

code for determining a parameter indicative of ambient humidity outside of the vehicle based on said sensor;

code for determining a desired cylinder cam timing that varies based at least on said parameter and an engine operating condition;

code for adjusting a control signal to adjust said cylinder valve based on said desired cylinder cam timing; and

code for determining degradation of said sensor based at least on a measured signal.

18-19. (cancelled)

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.